### Fuse Datasheet

# **441A Series** 0603 High I<sup>2</sup>t Fuse

# 

# **Additional Information**





**Agency Approvals** 



Accessories

Samples

# **Description**

The 441A series fuses are specifically tested to cater to secondary circuit protection needs of compact auto-electronics application. The general design ensures excellent temperature stability and performance reliability.

RoHS

This high I<sup>2</sup>t fuse series is designed to have ultra high inrush current withstand capability to avoid nuisance fuse open.

## Features

- Operating Temperature from -55°C to 150°C
- 100% Lead-free, Halogen-Free I Ultra high I2t values and RoHS compliant
- Meets Littelfuse's automotive qualifications\*

# **Applications**

- Li-ion Battery
- LED Head Lights
- Automotive Navigation System
- TFT Display

- Suitable for both leaded and lead-free reflow/wave soldering
- - Battery Management System (BMS)
  - Clusters

# **Electrical Characteristics**

Agency	Agency File Number	Ampere Range	% of Ampere Rating	Ampere Rating	Opening Time at 25°C
c <b>N</b> us	E10480	2A - 6A	100%	2A - 6A	4 Hours Minimum
SP:	29862	2A - 6A	350%	2A - 6A	5 Seconds Maximum

### **Electrical Specifications by Item**

Ampere				Nominal	esistance Melting I <sup>2</sup> t	Nominal Voltage Drop At Rated Current (V)⁴	Nominal Power Dissipation At Rated Current (W)	Agency Approvals	
•			Interrupting Rating	Resistance (Ohms) <sup>2</sup>				c <b>PL</b> °us	۹.
2	002.	32		0.0302	0.3103	0.0551	0.110	Х	Х
2.5	02.5	32		0.0200	0.5520	0.0534	0.134	Х	Х
3	003.	32		0.0158	0.8165	0.0531	0.159	Х	Х
3.5	03.5	32	50 A @ 32 VDC	0.0117	0.9438	0.0468	0.164	Х	Х
4	004.	32		0.0097	1.2659	0.0475	0.190	Х	Х
5	005.	32		0.0073	1.6287	0.0472	0.236	Х	Х
6	006.	32		0.0056	2.6049	0.0464	0.278	Х	Х

### Notes:

DC Interrupting Rating tested at rated voltage with time constant < 0.8 msecs.

2. Nominal Resistance measured with < 10% rated current.

3. Nominal Melting I<sup>2</sup>t measured at 1 msec. opening time.


Nominal Voltage Drop measured at rated current after temperature has stabilized.

Devices designed to carry out rated current for 4 hours minimum. It is recommended that devices be operated continuously at no more than 80% rated current. See "Temperature Re-rating Curve" for additional re-rating information

Devices designed to be mounted with marking code facing up.



### Fuse Datasheet




## **Temperature Re-rating Curve**

### Note:


1. Re-rating depicted in this curve is in addition to the standard re-rating of 20% for continuous operation.

For continuous operation at 75 degrees celsius, the fuse should be rerated as follows:  ${\sf I}=(0.80)(0.85){\sf I}_n=(0.68){\sf I}_n$ 



Reflow Condition			Pb – free assembly	
	- Temperature Min (T <sub>s(min)</sub> )		150°C	
Pre Heat	- Temperature Max (T <sub>s(max)</sub> )		200°C	
	- Time (Min to Max) (t <sub>s</sub> )		60 – 180 seconds	
Average Ramp-up Rate (Liquidus Temp (T $_{\!$			3°C/second max.	
T <sub>S(max)</sub> to T <sub>L</sub> - Ramp-up Rate			5°C/second max.	
Reflow	- Temperature (T <sub>L</sub> ) (Liquidus)		217°C	
nenow	- Temperature (t <sub>L</sub> )	60 – 150 seconds		
Peak Temperature (T <sub>p</sub> )			260 <sup>+0/-5</sup> °C	
Time within 5°C of actual peak Temperature (t,)			10 – 30 seconds	
Ramp-down Rate			6°C/second max.	
Time 25°C to peak Temperature (T <sub>p</sub> )			8 minutes max.	
Do not exceed			260°C	
Wave Soldering 260°C, 10 sec		onds max.		

### **Soldering Parameters**




### Average Time Current Curves

### Fuse Datasheet

### **Product Characteristics**

Materials	Body: Advanced Ceramic Terminations: Ag / Ni / Sn (100% Lead-free) Element Cover Coating: Lead-free Glass
Moisture Sensitivity Level	IPC/JEDEC J-STD-020, Level 1
Solderability	IPC/ECA/JEDEC J-STD-002, Condition C
Humidity	MIL-STD-202, Method 103, Conditions D
Resistance to Solder Heat	MIL-STD-202, Method 210, Condition B
Moisture Resistance	MIL-STD-202, Method 106
Thermal Shock	MIL-STD-202, Method 107, Condition B
Mechanical Shock	MIL-STD-202, Method 213, Condition A
Vibration	MIL-STD-202, Method 201
Vibration, High Frequency	MIL-STD-202, Method 204, Condition D
Dissolution of Metallization	IPC/ECA/JEDEC J-STD-002, Condition D
Terminal Strength	IEC 60127-4


### **Dimensions mm (inches)**



High Temperature Storage	MIL-STD-202, Method 108 with exemptions
Thermal Shock Test	JESD22 Method JA-104, Test Conditions B and N
Biased Humidity	MIL-STD-202, Method 103, 85C/85% RH with 10% operating power for 1000 hrs
<b>Operational Life</b>	MIL-STD 202, Method 108, Test Condition D
Resistance to Solvents	MIL-STD-202, Method 215
Mechanical Shock	MIL-STD-202, Method 213, Test Condition C
High Frequency Vibration	MILSTD-202, Method 204
Resistance to Soldering Heat	MIL-STD-202, Method 210, Test Condition B
Solderability	JESD22-B102E, Method 1
Terminal Strength for SMD	AEC Q200-006
Board Flex	AEC Q200-005
Electrical Characterization	3 Temperature Electical

### **Part Marking System**

Amp Code	Marking Code
002.	Ν
02.5	0
003.	Р
03.5	R
004.	S
005.	Т
006.	U



### Packaging

Packaging Option	Packaging Specification	Quantity	Quantity & Packaging Code
8mm Tape and Reel	EIA-481, IEC 60286-3	3000	WR

Disclaimer Notice - Littelfuse products are not designed for, and shall not be used for, any purpose (including, without limitation, automotive, military, aerospace, medical, life-saving, life-sustaining or nuclear facility applications, devices intended for surgical implant into the body, or any other application in which the failure or lack of desired operation of the product may result in personal injury, death, or property damage) other than those expressly set forth in applicable Littelfuse product documentation. Warranties granted by Littelfuse shall be deemed woid for products used for any purpose on expressly set forth in applicable Littelfuse documentation. Littelfuse shall not be liable for any claims or damages arising out of products used in applications as set forth in applicable Littelfuse documentation. Itielfuse shall not be liable Conditions of Sale, unless otherwise agreed by Littelfuse. Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability of and test each product selected for their own applications. Littelfuse products are not designed for, and may not be used in, all applications. Read complete Disclaimer Notice at www.littelfuse.com/disclaimer-electronics.

