

GE Energy Connections Industrial Solutions

A-Series* II Branch Circuit Monitoring Upgradable Panels

Fact Sheet

Overview

A-Series panels are configurable to provide a low-cost option for complying with California's Title 24 building standard. Title 24 requires the ability to meter different types of electrical loads. Since the ability to meter is required, compliant panels do not need to have meters, they are only required to have room for a meter to be added later. A-Series has the below two options for meter-ready panels:

- Branch Circuit Monitoring (BCM) Upgradable
- Split Section Area for Current Transformer (CT) Provisions (DEA-1012)

BCM Upgradeable

An upgradeable BCM panel leaves room for a monitor and does not place load type restrictions on the location of breakers.

To order these panels in Empower, use the Submeter dropdown menu under the Option section of the Lineup screen in the panelboard configurator. Eithers select the desired meter or select "Submetering Ready (No meter included).".

- Each branch is metered individually, alleviating the need to group branch device by load type
- Field upgrade kit can be installed after the panel is in place
- Allows for the addition of branch devices without having to adjust metering

Split Core CTs

The following split core CTs are sold separately and are pictured on the right



ASPCT3 Sold Individually







Right: BCM Upgradable panel Left: Monitoring controller which can be ordered at any time and installed in the field

References

California's Updated Title 24: W-8001-E
Electrical Distribution
Compliance
A-Series II Panelboard with DEA-604
Branch Circuit Monitoring
A-Series II Split Section Panels DEA-1012

Standards and Approvals

- UL-67
- UL-50
- NEMA PB-1
- NFPA-70
- 2016 California Building Standards Code (Title 24)

GE Energy Connections 41 Woodford Avenue Plainville, CT 06062 www.geindustrial.com *Indicates a trademark of the General Electric Company and/or its affiliates. Information provided is subject to change without notice. Please verify all details with GE. All values are design or typical values when measured under laboratory conditions, and GE makes no warranty or guarantee, express or implied, that such performance will be obtained under end-use conditions. ©2016, General Electric Company and/or its affiliates. All rights reserved. 06/2017 DEA1013